



# COMMONWEALTH of VIRGINIA

*Department of General Services*

*Division of Consolidated Laboratory Services*

*600 North 5th Street  
Richmond, Virginia 23219-3691  
(804) 648-4480  
FAX (804) 692-0416*

12/11/2018

Nancy Hall  
State Hygienic Laboratory at The University of Iowa  
2490 Crosspark Road  
Coralville IA 52241-4721

VELAP ID: 460267

Dear Nancy Hall:

State Hygienic Laboratory at The University of Iowa has been granted secondary accreditation pursuant to the provisions of 1VAC30-46 and The NELAC Institute (TNI) 2009 Standard by the Division of Consolidated Laboratory Services (DCLS). Enclosed please find Certificate 10052 and the corresponding Scope of Accreditation which are valid until 12/14/2019. The certificate must be conspicuously displayed in the laboratory along with the associated Scope of Accreditation.

Your laboratory is required to notify the DCLS Virginia Environmental Laboratory Accreditation Program (VELAP) in writing of any changes in key accreditation criteria within 30 calendar days of the change per 1VAC30-46-90 A. This requirement includes changes in ownership, location, key personnel, and major instrumentation.

A laboratory holding secondary accreditation with VELAP is responsible for assuring that VELAP has current information regarding the laboratory's primary accreditation. Upon any change in the status of any field of accreditation, a secondary laboratory must notify VELAP of the exact nature of the change and provide a copy of the laboratory's new primary certificate.

Please direct all correspondences and questions regarding accreditation to your laboratory's lead assessor, Michael Casalena, at [michael.casalena@dgs.virginia.gov](mailto:michael.casalena@dgs.virginia.gov) or (804) 648-4480 x303.

Sincerely yours,



Cathy Westerman

Manager, Laboratory Certification Program

Enclosures

cc: Dr. Susie Y. Dai



**COMMONWEALTH OF VIRGINIA  
DEPARTMENT OF GENERAL SERVICES  
DIVISION OF CONSOLIDATED LABORATORY SERVICES**



**Certifies that**

**VA Laboratory ID#: 460267  
State Hygienic Laboratory at The University of Iowa  
2490 Crosspark Road  
Coralville, IA 52241-4721**

**Owner: STATE OF IOWA/UNIVERSITY OF IOWA  
Responsible Official: DR. SUSIE Y. DAI**

Having met the requirements of 1 VAC 30-46 and  
having been found compliant with the 2009 TNI Standard approved by The NELAC Institute  
is hereby approved as an  
**Accredited Environmental Laboratory**

As more fully described in the attached Scope of Accreditation

**Effective Date: December 15, 2018**

**Expiration Date: December 14, 2019**

**Certificate # 10052**

A handwritten signature in cursive script that reads "Denise M. Toney". The signature is written in black ink and is positioned above a horizontal line.

**Denise M. Toney, Ph.D., HCLD  
DGS Deputy Director for Laboratories**

Continued accreditation status depends on successful ongoing participation in the program.  
Certificate to be conspicuously displayed at the laboratory.  
Not valid unless accompanied by a valid Virginia Environmental Laboratory Accreditation Program (VELAP)  
Scope of Accreditation.  
Customers are urged to verify the laboratory's current accreditation status.



**Commonwealth of Virginia**  
 Department of General Services  
 Division of Consolidated Laboratory Services



**Scope of Accreditation**

VELAP Certificate No.: 10052

**State Hygienic Laboratory at The University of Iowa**  
 2490 Crosspark Road  
 Coralville, IA 52241-4721

**Virginia Laboratory ID: 460267**  
 Effective Date: December 15, 2018  
 Expiration Date: December 14, 2019

**DRINKING WATER**

<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>	<u>METHOD</u>	<u>ANALYTE</u>	<u>PRIMARY</u>
EPA 1623.1	CRYPTOSPORIDIUM	OR	EPA 900.0	GROSS ALPHA	OR
EPA 900.0	GROSS BETA	OR	EPA 903.0	RADIUM-226	OR
EPA 904.0	RADIUM-228	OR			