

OVA AND PARASITE REPORTING UPDATE

In an effort to make Ova and Parasite final reports clearer, the State Hygienic Laboratory is changing the analyte names on the Ova and Parasite, Stool Concentration and Trichrome Stain methods from 'Parasite Identified' (Figure 1), to 'Microscopic Examination of Concentrated Sample' and 'Trichrome Stain Observation' (Figure 2), respectively. This change will take place on October 2, 2023. This change will not impact previously reported test results. Please contact the Microbiology Supervisor, Megan Nelson, directly with questions, comments, or concerns regarding these changes (megan-nelson-1@uiowa.edu or 319-467-1662).

IESI Ova and Parasite Testing, Ethyl Acetate Concentration	RESULT	MODIFIER	ANALYSIS NOTE(S)
Parasite Identified	No Ova or Parasites found		
Trichrome Stain for Parasites, Biological Stain			
Parasite Identified	No Ova or Parasites found		

Figure 1 Old Test Analyte Names

<u>IESI</u>	RESULT	MODIFIER	ANALYSIS NOTE(S)	
Ova and Parasite Testing, Ethyl Acetate Concentration			1	
Microscopic Examination of Concentrated	No Ova or Parasites			
Sample	found			
Trichrome Stain for Parasites, Biological Stain				
Trichrome Stain Observation	No Ova or Parasites			
	found			

Figure 2 New Test Analyte Names